Concept-Author-Title
INDEX
VOLUME 28, NUMBERS 1-6, 1989

A

Acid Frac — Panther River Well Stimulations A Case History, by M.R. Milligan, Vol. 28, No. 5, P32-41, Sept.-Oct.89.

Acidic Oil Caustic Interactions — Interaction of Aqueous Caustic with Acidic Oils, by C.I. Chiwetelu, V. Hornof and G.H. Neale, Vol. 28, No. 4, P71-78, July-Aug.89.

Air Separation Units — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.

Al-Soof, N.B.A. — An Improved Revision to the Hagedorn and Brown Liquid Holdup Correlation, by Ghassan H. Abdul Majeed, Nimat Behnam Abu Al-Soof and Jawad R. Alassal, Vol. 28, No. 6, P25-28, Nov.-Dec.89.

Alassal, J.R. — An Improved Revision to the Hagedorn and Brown Liquid Holdup Correlation, by Ghassan H. Abdul Majeed, Nimat Behnam Abu Al-Soof and Jawad R. Alassal, Vol. 28, No. 6, P25-28, Nov.-Dec.89.

Alberta — Upgrading Alberta NGLs — Some Preliminary Ideas, by W.D. Onn, Vol. 28, No. 6, P59-63, Nov.-Dec.89.

Alikhan, A.A. — Potential of Non-thermal Methods for Heavy Oil Recovery, by R. Selby, A.A. Alikhan and S.M. Farouq Ali, Vol. 28, No. 4, P45-59, July-Aug.89.

Allen, V. — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.-Apr.89.

— The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 2 — Data Retrieval and Analysis of the Thermal Regime, by A. Taylor, A. Judge and V. Allen, Vol. 28, No. 2, P95-101, Mar.-Apr.89.

Analysis — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Arctic — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.-Apr.89.

— The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 2 — Data Retrieval and Analysis of the Thermal Regime, by A. Taylor, A. Judge and V. Allen, Vol. 28, No. 2, P95-101, Mar.-Apr.89.

Aromatics — Upgrading Alberta NGLs — Some Preliminary Ideas, by W.D. Onn, Vol. 28, No. 6, P59-63, Nov.-Dec.89.

Asgarpour, S. — A Statistical Model to Evaluate Infill Drilling Prospects in an Upper Devonian Field in Central Alberta, by W. Papst and S. Asgarpour, Vol. 28, No. 2, P113-117, Mar.-Apr.89.

— Pressure-Volume-Temperature Correlations for Western Canadian Gases and Oils, by S. Asgarpour, L. McLauchlin, D. Wong and V. Cheung, Vol. 28, No. 4, P103-111, July-Aug.89.

— The Use of Pressure Build-up Data in Pressure Transient Testing, by G.A. Foster, D. Wong and S. Asgarpour, Vol. 28, No. 6, P64-72, Nov.-Dec.89.

Astrakhan Sour Gas Field — Astrakhan, the World's Largest Sour Gas Development, by G.F. Leipert, Vol. 28, No. 3, P95-98, May-June 89.

Athabasca Bitumen — Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M.Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.

Athabasca Oil Sands — The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.

— Application of Numerical Modelling to the Simulation of the Electric-preheat Steamdrive (EPSD) Process in Athabasca Oil Sands, by A.D. Hiebert, F.E. Vermeulen and F.S. Chute, Vol. 28, No. 5, P74-86, Sept.-Oct.89.

B

Bachu, S. — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.

Barmby, R.P. — Focussed Hydraulic Energy — A New Look at Two-nozzle Drilling, by R.P. Barmby, Vol. 28, No. 2, P85-88, Mar.-Apr.89.

Beaverhill Lake Reservoir — Design of a Field-wide Hydrocarbon Miscible Flood for the Kaybob Beaverhill Lake 'A' Pool, by D.A. MacLean, Vol. 28, No. 3, P20-28, May-June 89.

Bell, J.S. — In Situ Stress Magnitudes from Mini-Frac Records in Western Canada, by D.C. Woodland and J.S. Bell, Vol. 28, No. 5, P22-31, Sept.-Oct.89.

BenNaceur, K. — Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.

Bennion, D.B. — Laboratory Factors Influencing Slim Tube Test Results, by T.E. Randall and D.B. Bennion, Vol. 28, No. 4, P60-70, July-Aug.89.

Bentsen, R.G. — Effect of Length on Unstable Miscible Displacements, by G. Coskuner and R.G. Bentsen, Vol. 28, No. 4, P34-44, July-Aug.89.

— A New Method for Estimating Relative Permeabilities from Unstabilized Displacement Data, by H.K. Sarma and R.G. Bentsen, Vol. 28, No. 4, P118-128, July-Aug.89.

Bitumen — Total Dissolved Solids Removal from Water Produced During the In Situ Recovery of Heavy Oil and Bitumen, by S. Kok, A. Zaidi and R. Solomon, Vol. 28, No. 1, P100-105, Jan.-Feb.89.

— Characterization of the Humic-clay Complex and its Influence on Bitumen Displacement from Athabasca Oil Sands, by J.L. Margeson, V. Hornof and G.H. Neale, Vol. 28, No. 2, P57-62, Mar.-Apr.89.

— An Experimental Study of Diffusion in the Bitumen Toluene System, by V. Oballa and R.M. Butler, Vol. 28, No. 2, P63-69, Mar.-Apr.89.

— The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.

— Properties of Peace River Bitumen Saturated with Field Gas Mixtures, by W.Y. Svrcek and A.K. Mehrotra, Vol. 28, No. 2, P50-56, Mar.-Apr.89.

Bojes, J.M. — Application of Fluid Analyses to the Operation of an In Situ Combustion Pilot, by J.M. Bojes and G.B. Wright, Vol. 28, No. 1, P106-119, Jan.-Feb.89.

Bottom Water — Mechanics of Foam Flow in Porous Media and Applications, by M.R. Islam, R.J. Selby and S.M. Farouq Ali, Vol. 82, No. 4, P88-96, July-Aug.89.

Bottom-hole Pumps — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.

Bourgoyne and Young Drilling Model — Modelling of Drilling Rate for Canadian Offshore Well Data, by W. Wee and N. Kalogerakis, Vol. 28, No. 6, P33-48, Nov.-Dec.89.

Bowers, B. — Trends in Crude Oil and Natural Gas Reserves Additions Rates and Marginal Supply Costs for Western Canada, by B. Bowers and R. Kutney, Vol. 28, No. 3, P88-94, May-June 89.

Build-up Testing — The Use of Pressure Build-up Data in Pressure Transient Testing, by G.A. Foster, D. Wong and S. Asgarpour, Vol. 28, No. 6, P64-72, Nov.-Dec.89.

Butler, R.M. — In Situ Emulsification by the Condensation of Steam in Contact with Bitumen, by K.H. Chung and R.M. Butler, Vol. 28, No. 1, P48-55, Jan.-Feb.89.

— An Experimental Study of Diffusion in the Bitumen Toluene System, by V. Oballa and R.M. Butler, Vol. 28, No. 2, P63-69, Mar.-Apr.89.

— The Potential for Horizontal Wells for Petroleum Production, by R.M. Butler, Vol. 28, No. 3,P39-47, May-June 89.

C

Calsep, K.S.P. — Surface Tension of Petroleum Mixtures, by K.S. Pedersen Calsep, T. Lund and A. Fredenslund, Vol. 28, No. 2, P118-123, Mar.-Apr.89.

Carbon Dioxide Crude Oil — Effect of Column Length on CO_2 Crude Oil Miscibility Pressure, by O. Omole and J.S. Osoba, Vol. 28, No. 4, P97-102, July-Aug.89.

Carbon Disulphide — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Carbonyl Sulphide — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Cash Flow Analysis — Project Cash Flow Analysis — How to Avoid the Fast Track to Red Ink, by V.N. Martin and B.J.Smith, Vol. 28, No. 5, P94-99, Sept.-Oct.89.

Catalysts — New LZ-210 Zeolites Produce Superior FCC Performance, by W.S. Letzsch, D.G. Michaelis and J.D. Pollock, Vol. 28, No. 2, P102-105, Mar.-Apr.89.

Chemical Analysis — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

Chen, Z.-X. — A New Numerical Method of Simulating Two-Dimensional Two-Phase Flow Through Media with Single and Double Porosity, by M.-X. Liu and Z.-X. Chen, Vol. 28, No. 2, P106-112, Mar.-Apr.89.

Cheung, W. — Pressure-Volume-Temperature Correlations for Western Canadian Gases and Oils, by S. Asgarpour, L. McLauchlin, D. Wong and V. Cheung, Vol. 28, No. 4, P103-111, July-Aug.89.

China Oil Patch — China — Oil and Gas 'Pandamonium', by J. Wong, Vol. 28, No. 3, P99-104, May-June 89.

Chiwetelu, C.I. — Interaction of Aqueous Caustic with Acidic Oils, by C.I. Chiwetelu, V. Hornof and G.H. Neale, Vol. 28, No. 4, P71-78, July-Aug.89.

Chung, K.H. — In Situ Emulsification by the Condensation of Steam in Contact with Bitumen, by K.H. Chung and R.M. Butler, Vol. 28, No. 1, P48-55, Jan.-Feb.89.

Chute, F.S. — Application of Numerical Modelling to the Simulation of the Electric-preheat Steamdrive (EPSD) Process in Athabasca Oil Sands, by A.D. Hiebert, F.E. Vermeulen and F.S. Chute, Vol. 28, No. 5, P74-86, Sept.-Oct.89.

Claus Sulphur Recovery — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.

Closure Stresses — In Situ Stress Magnitudes from Mini-Frac Records in Western Canada, by D.C. Woodland and J.S. Bell, Vol. 28, No. 5, P22-31, Sept.-Oct.89.

Cold Lake — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.

Colloids — The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.

Combustion — Rationale for Low Injection Rates and Pressure Cycles for Firefloods in Heavy Oil Reservoirs, by P.W. Tsang, Vol. 28, No. 1, P33-39, Jan.-Feb.89.

Combustion Pilot — Application of Fluid Analyses to the Operation of an In Situ Combustion Pilot, by J.M. Bojes and G.B. Wright, Vol. 28, No. 1, P106-119, Jan.-Feb.89.

Completions — Layer Pulse Testing Using the Repeat Formation Tester, by J. Saeedi, Vol. 28, No. 1, P126-134, Jan.-Feb.89.

Connate Water — In Situ Emulsification by the Condensation of Steam in Contact with Bitumen, by K.H. Chung and R.M. Butler, Vol. 28, No. 1, P48-55, Jan.-Feb.89

Cormack, D.E. — Optimal Fracture Design for Tight Gas Reservoirs, by D.A. Payne and D.E. Cormack, Vol. 28, No. 1, P120-125, Jan.-Feb.89.

Coskuner, G. — Effect of Length on Unstable Miscible Displacements, by G. Coskuner and R.G. Bentsen, Vol. 28, No. 4, P34-44, July-Aug.89.

Crosslinked Gelled Methanol System — Fracturing with Crosslinked Gelled Methanol: a New Approach to Well Stimulation, by M. Hossaini, W. Jabs and J. Grisdale, Vol. 28, No. 5, P49-54, Sept.-Oct.89.

Crude Oil — Trends in Crude Oil and Natural Gas Reserves Additions Rates and Marginal Supply Costs for Western Canada, by B. Bowers and R. Kutney, Vol. 28, No. 3, P88-94, May-June 89.

— Pressure-Volume-Temperature Correlations for Western Canadian Gases and Oils, by S. Asgarpour, L. McLauchlin, D. Wong and V. Cheung, Vol. 28, No. 4, P103-111, July-Aug.89.

— Crude Oil Prorationing as an Optimization Problem, by T. Walden, Vol. 28, No. 4, P136-139, July-Aug.89.

Cullen, M.P. — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.

Cuthiell, D.L. — A Multidisciplinary Approach to Reservoir Characterzation: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.

Cyanide — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Cyclic Steam Injection — Evaluation and Application of Pikes Peak Cyclic Steam Injection Pressure Data, by K.A. Miller and R.M. Given, Vol. 28, No. 1, P26-32, Jan.-Feb.89.

D

Data Acquisition Systems — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.—Apr.89.

Data Analyses—Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.

Data Retrieval Systems — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 2 — Data Retrieval and Analysis of the Thermal Regime, by A. Taylor, A. Judge and V. Allen, Vol. 28, No. 2, P95-101, Mar.-Apr.89.

Day, M.J. — Petroleum Industry Development in Alberta, Canada — The Relationship Between Governments and the Private Sector, by M.J. Day, Vol. 28, No. 5, P100-107, Sept.-Oct.89.

DeCastro, V. — Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M. Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.

Des Brisay, C.M. — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.

Development — Petroleum Industry Development in Alberta, Canada — The Relationship Between Governments and the Private Sector, by M.J. Day, Vol. 28, No. 5, P100-107, Sept.-Oct.89.

Development Costs — Corporate Finding and Development Costs — 1984-1986, by J. Grecu and P.H. Ziff, Vol. 28, No. 4, P140-145, July-Aug.89.

Development Opportunities — Lake Erie — Offshore Natural Gas Exploration and Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.

Diffusion Studies — An Experimental Study of Diffusion in the Bitumen

Toluene System, by V. Oballa and R.M. Butler, Vol. 28, No. 2, P63-69, Mar.-Apr.89.
Displacement — A New Method for Estimating Relative Permeabilities from Unstabilized Displacement Data, by H.K. Sarma and R.G. Bentsen, Vol. 28, No. 4, P118-128, July-Aug.89.
Drilling Equipment — Focussed Hydraulic Energy — A New Look at Two-nozzle Drilling, by R.P. Barmby, Vol. 28, No. 2, P85-88, Mar.-Apr.89.
Drilling Model — Modelling of Drilling Rate for Canadian Offshore Well Data, by W. Wee and N. Kalogerakis, Vol. 28, No. 6, P33-48, Nov.-Dec.89.
Drilling Technology — The Potential for Horizontal Wells for Petroleum Production, by R.M. Butler, Vol. 28, No. 3, P39-47, May-June 89.
Duguid, A. — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.-Apr.89.

E

Economics — Trends in Crude Oil and Natural Gas Reserves Additions Rates and Marginal Supply Costs for Western Canada, by B. Bowers and R. Kutney, Vol. 28, No. 3, P88-94, May-June 89.
— Lake Erie — Offshore Natural Gas Exploration and Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.
— Crude Oil Prorationing as an Optimization Problem, by T. Walden, Vol. 28, No. 4, P136-139, July-Aug.89.
— Corporate Finding and Development Costs — 1984-1986, by J. Grecu and P.H. Ziff, Vol. 28, No. 4, P140-145, July-Aug.89.
— Project Cash Flow Analysis — How to Avoid the Fast Track to Red Ink, by V.N. Martin and B.J. Smith, Vol. 28, No. 5, P94-99, Sept.-Oct.89.
Electric-preheat Steam-drive — Application of Numerical Modelling to the Simulation of the Electric-preheat Steam-drive (EPSD) Process in Athabasca Oil Sands, by A.D. Hiebert, F.E. Bermeulen and F.S. Chute, Vol. 18, No. 5, P74-86, Sept.-Oct. 89.
Emulsification — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.
Emulsion — Waterflooding Oil Reservoirs with Bottom Water, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 3, P59-66, May-June 89.
Emulsion Flooding — New Scaling Criteria for Polymer, Emulsion and Foam Flooding Experiments, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 4, P79-87, July-Aug.89.
Emulsions — Correlation Between Oil Sands Minerals and Processing Characteristics, by R.J. Mikula, V.A. Munoz and W.W. Lam, Vol. 28, No. 6, P29-32, Nov.-Dec.89.
Enhanced Oil Recovery — Effect of Length on Unstable Miscible Displacements, by G. Coskuner and R.G. Bentsen, Vol. 28, No. 4, P34-44, July-Aug.89.
— Oil Removal from Oilfield-produced Water by Cross Flow Ultrafiltration, by B.A. Farnand and T.A. Krug, Vol. 28, No. 6, P18-24, Nov.-Dec.89.
— Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.
Environment — Total Dissolved Solids Removal from Water Produced During the In Situ Recovery of Heavy Oil and Bitumen, by S. Kok, A. Zaidi and R. Solomon, Vol. 28, No. 1, P100-105, Jan.-Feb.89.
Equation of State — C+/7 Characterization for Fluid Properties Predictions, by R.S. Wu and R.M. Fish, Vol. 28, No. 4, P112-117, July-Aug.89.
Equilibriuim Capillary Pressure — A New Method for Estimating Relative Permeabilities from Unstabilized Displacement Data, by H.K. Sarma and R.G. Bentsen, Vol. 28, No. 4, P118-128, July-Aug.89.
Equilibrium Interfacial Tension — Interaction of Aqueous Caustic with Acidic Oils, by C.I. Chiwetelu, V. Hornof and G.H. Neale, Vol. 28, No. 4, P71-78, July-Aug.89.
Ethyl Methyl Sulphide — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.
Evans, W.D. — Four Stages — Innovative Career Management, by W.D. Evans and C.W. Nemeth, Vol. 28, No. 1, P138-140, Jan.-Feb.89.
Exploration — Lake Erie — Offshore Natural Gas Exploration and Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.
— Petroleum Industry Development in Alberta, Canada — The Relationship Between Governments and the Private Sector, by M.J. Day, Vol. 28, No. 5, P100-107, Sept.-Oct.89.
External-drive Techniques — A New Method for Estimating Relative Permeabilities from Unstabilized Displacement Data, by H.K. Sarma and R.G. Bentsen, Vol. 28, No. 4, P118-128, July-Aug.89.
Extraction — Correlation Between Oil Sands Minerals and Processing Characteristics, by R.J. Mikula, V.A. Munoz and W.W. Lam, Vol. 28, No. 6, P29-32, Nov.-Dec.89.

F

Farnand, B.A. — Oil Removal from Oilfield-produced Water by Cross Flow Ultrafiltration, by B.A. Farnand and T.A. Krug, Vol. 28, No. 6, P18-24, Nov.-Dec.89.
Farouq Ali, S.M. — Verification of Scaling Approaches for Steam Injection Experiments, by K.D. Kimber and S.M. Farouq Ali, Vol. 28, No. 1, P40-47, Jan.-Feb.89.
— Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M. Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.
— Waterflooding Oil Reservoirs with Bottom Water, by M.R. Islam and S.M. Farouq Ali, Vol.28, No. 3, P59-66, May-June 89.
— Potential of Non-thermal Methods for Heavy Oil Recovery, by R. Selby, A.A. Alikhan and S.M. Farouq Ali, Vol. 28, No. 4, P45-59, July-Aug.89.
— New Scaling Criteria for Polymer, Emulsion and Foam Flooding Experiments, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 4, P79-87, July-Aug.89.
— Mechanics of Foam Flow in Porous Media and Applications, by M.R. Islam, R.J. Selby and S.M. Farouq Ali, Vol. 82, No. 4, P88-96, July-Aug.89.
Fassihi, M.R. — Estimation of Relative Permeability from Low Rate, Unsteady-state Tests — a Simulation Approach, by M.R. Fassihi, Vol. 28, No. 3, P29-38, May-June 89.
Fines Migration — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.
Fireflood — Application of Fluid Analyses to the Operation of an In Situ Combustion Pilot, by J.M. Bojes and G.B. Wright, Vol. 28, No. 1, P106-119, Jan.-Feb.89.
Fish, R.M. — C+/7 Characterization for Fluid Properties Predictions, by R.S. Wu and R.M. Fish, Vol. 28, No. 4, P112-117, July-Aug.89.
Flooding Pressure — Effect of Column Length on CO_2-Crude Oil Miscibility Pressure, by O. Omole and J.S. Osoba, Vol. 28, No. 4, P97-102, July-Aug.89.
Flotation — The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.
Flow Stability — Waterflooding Oil Reservoirs with Bottom Water, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 3, P59-66, May-June89.
Fluid Analysis — Application of Fluid Analyses to the Operation of an In Situ Combustion Pilot, by J.M. Bojes and G.B. Wright, Vol. 28, No. 1, P106-119, Jan.-Feb.89.
Fluid Catalytic Cracking (FCC) — New LZ-210 Zeolites Produce Superior FCC Performance, by W.S. Letzsch, D.G. Michaelis and J.D. Pollock, Vol. 28, No. 2, P102-105, Mar.-Apr.89.
Fluid Density — C+/7 Characterization for Fluid Properties Predictions, by R.S. Wu and R.M. Fish, Vol. 28, No. 4, P112-117, July-Aug.89.
Foam Flooding — New Scaling Criteria for Polymer, Emulsion and Foam Flooding Experiments, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 4, P79-87, July-Aug.89.
Foams — Mechanics of Foam Flow in Porous Media and Applications, by M.R. Islam, R.J. Selby and S.M. Farouq Ali, Vol. 28, No. 4, P88-96, July-Aug.89.
Forchheimer Coefficients — The Unsteady-state Gas Permeameter, by D.W. Ruth and J. Kenny, Vol. 28, No. 3, P67-72, May-June 89.
Fortier, R.A. — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.
Foster, G.A. — The Use of Pressure Build-up Data in Pressure Transient Testing, by G.A. Foster, D. Wong and S. Asgarpour, Vol. 28, No. 6, P64-72, Nov.-Dec.89.
Fox, J.N. — Lake Erie — Offshore Natural Gas Exploration and

Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.

Fracture Design — Optimal Fracture Design for Tight Gas Reservoirs, by D.A. Payne and D.E. Cormack, Vol. 28, No. 1, P120-125, Jan.-Feb.89.

Fracturing — Coupling of Fluid Flow and Soil Behaviour to Model Injection into Uncemented Oil Sands, by A. Settari, P.R. Kry and C.T. Yee, Vol. 28, No. 1, P81-92, Jan.-Feb.89.

— Interwell Communication by Concurrent Fracturing — a New Stimulation Technique, by Z.A. Moschovidis, Vol. 28, No. 5, P42-48, Sept.-Oct.89.

— Simulated Mini-frac Analysis, by B.R. Meyer and M.W. Hagel, Vol. 28, No. 5, P63-73, Sept.-Oct.89.

Fredenslund, A. — Surface Tension of Petroleum Mixtures, by K.S. Pedersen Calsep, T. Lund and A. Fredenslund, Vol. 28, No. 2, P118-123, Mar.-Apr.89.

Fresh Water Sensitivity — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.

G

Gas Marketing — Gas Marketing in Transition, by J.J. Park, Vol. 28, No. 1, P135-137, Jan.-Feb.89.

Gas Plants — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

Gas Solubility — Calculation of Gas Solubility in Wabasca Bitumen, by A.K. Mehrotra, G.S. Patience and W.Y. Svrcek, Vol. 28, No. 3, P81-83, May-June 89.

Gas-Saturated Bitumens — Properties of Peace River Bitumen Saturated with Field Gas Mixtures, by W.Y. Svrcek and A.K. Mehrotra, Vol. 28, No. 2, P50-56, Mar.-Apr.89.

Given, R.M. — Evaluation and Application of Pikes Peak Cyclic Steam Injection Pressure Data, by K.A. Miller and R.M. Given, Vol. 28, No. 1, P26-32, Jan.-Feb.89.

Gnyp, A.W. — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

Gravitational Segregation — Estimation of Relative Permeability from Low Rate, Unsteady-state Tests — a Simulation Approach, by M.R. Fassihi, Vol. 28, No. 3, P29-38, May-June 89.

Gravity Drainage — The Potential for Horizontal Wells for Petroleum Production, by R.M. Butler, Vol. 28, No. 3, P39-47, May-June89.

Grecu, J. — Corporate Finding and Development Costs — 1984-1986, by J. Grecu and P.H. Ziff, Vol. 28, No. 4, P140-145, July-Aug.89.

Gregoire Lake — Fracture Stimulation in the GLISP Tar Sands Pilot — Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.

Grisdale, J. — Fracturing with Crosslinked Gelled Methanol: a New Approach to Well Stimulation, by M. Hossaini, W. Jabs and J. Grisdale, Vol. 28, No. 5, P49-54, Sept.-Oct.89.

H

Hagel, M.W. — Simulated Mini-frac Analysis, by B.R. Meyer and M.W. Hagel, Vol. 28, No. 5, P63-73, Sept.-Oct.89.

Heavy Oil — Evaluation and Application of Pikes Peak Cyclic Steam Injection Pressure Data, by K.A. Miller and R.M. Given, Vol. 28, No. 1, P26-32, Jan.-Feb.89.

— In Situ Emulsification by the Condensation of Steam in Contact with Bitumen, by K.H. Chung and R.M. Butler, Vol. 28, No. 1, P48-55, Jan.-Feb.89.

— Injectivity Enhancement in Tar Sands — A Physical Model Study, by A.H. Sufi, Vol. 28, No. 1, P63-74, Jan.-Feb.89.

— Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M. Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.

— Total Dissolved Solids Removal from Water Produced During the In Situ Recovery of Heavy Oil and Bitumen, by S. Kok, A. Zaidi and R. Solomon, Vol. 28, No. 1, P100-105, Jan.-Feb.89.

— Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.

— The Potential for Horizontal Wells for Petroleum Production, by R.M. Butler, Vol. 28, No. 3, P39-47, May-June 89.

— Interaction of Aqueous Caustic with Acidic Oils, by C.I. Chiwetelu, V. Hornof and G.H. Neale, Vol. 28, No. 4, P71-89, July-Aug.89.

Heavy Oil Recovery — Potential of Non-thermal Methods for Heavy Oil Recovery, by R. Selby, A.A. Alikhan and S.M. Farouq Ali, Vol. 28, No. 4, P45-59, July-Aug.89.

Hegarty, W.P. — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.

Heterogeneity — Fracture Stimulation in the GLISP Tar Sands Pilot— Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.

Hiebert, A.D. — Application of Numerical Modelling to the Simulation of the Electric-preheat Steam-drive (EPSD) Process in Athabasca Oil Sands, by A.D. Hiebert, F.E. Vermeulen and F.S. Chute, Vol. 28, No. 5, P74-86, Sept.-Oct.89.

Hoffman, E.L. — An Investigation of Trace Element Contamination of Sour Gas Plant Pond Sludges, by H.F. Thimm and E.L. Hoffman, Vol. 28, No. 2, P70-73, Mar.-Apr.89.

Horizontal Wells — The Potential for Horizontal Wells for Petroleum Production, by R.M. Butler, Vol. 28, No. 3, P39-47, May-June 89.

Hornof, V. — Characterization of the Humic-clay Complex and its Influence on Bitumen Displacement from Athabasca Oil Sands, by J.L. Margeson, V. Hornof and G.H. Neale, Vol. 28, No. 2, P57-62, Mar.-Apr.89.

— Interaction of Aqueous Caustic with Acidic Oils, by C.I. Chiwetelu, V. Hornof and G.H. Neale, Vol. 28, No. 4, P71-78, July-Aug.89.

Hossaini, M. — Fracturing with Crosslinked Gelled Methanol: a New Approach to Well Stimulation, by M. Hossaini, W. Jabs and J. Grisdale, Vol. 28, No. 5, P49-54, Sept.-Oct.89.

Hot Water Injection — Injectivity Enhancement in Tar Sands — A Physical Model Study, by A.H. Sufi, Vol. 28, No. 1, P63-74, Jan.-Feb.89.

Human Resources — Four Stages — Innovative Career Management, by W.D. Evans and C.W. Nemeth, Vol. 28, No. 1, P138-140, Jan.-Feb.89.

Humic-clay — Characterization of the Humic-clay Complex and its Influence on Bitumen Displacement from Athabasca Oil Sands, by J.L. Margeson, V. Hornof and G.H. Neale, Vol. 28, No. 2, P57-62, Mar.-Apr.89.

Hvizdos, L.J. — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.

Hydraulic Fracture Stimulation — Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.

Hydraulic Fracturing — Fracture Stimulation in the GLISP Tar Sands Pilot — Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.

Hydraulic Power — Focussed Hydraulic Energy — A New Look at Two-nozzle Drilling, by R.P. Barmby, Vol. 28, No. 2, P85-88, Mar.-Apr.89.

Hydrogen Sulphide — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

I

In Situ Combustion — Rationale for Low Injection Rates and Pressure Cycles for Firefloods in Heavy Oil Reservoirs, by P.W. Tsang, Vol. 28, No. 1, P33-39, Jan.-Feb.89.

— Application of Fluid Analyses to the Operation of an In Situ Combustion Pilot, by J.M. Bojes and G.B. Wright, Vol. 28, No. 1, P106-119, Jan.-Feb.89.

In Situ Stress Magnitude — In Situ Stress Magnitudes from Mini-Frac Records in Western Canada, by D.C. Woodland and J.S. Bell, Vol. 28, No. 5, P22-31, Sept.-Oct.89.

Index — Index — The Journal of Canadian Petroleum Technology, Vol. 28, No. 1, P141-149, Jan.-Feb.89.

Injection Pressure — Evaluation and Application of Pikes Peak Cyclic Steam Injection Pressure Data, by K.A. Miller and R.M. Given, Vol. 28, No. 1, P26-32, Jan.-Feb.89.

Injectivity Enhancement — Injectivity Enhancement in Tar Sands — A Physical Model Study, by A.H. Sufi, Vol. 28, No. 1, P63-74, Jan.-Feb.89.

Interference — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Interwell Communications — Evaluation and Application of Pikes Peak Cyclic Steam Injection Pressure Data, by K.A. Miller and R.M. Given, Vol. 28, No. 1, P26-32, Jan.-Feb.89.

Islam, M.R. — Waterflooding Oil Reservoirs with Bottom Water, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 3, P59-66, May-June 89.

— New Scaling Criteria for Polymer, Emulsion and Foam Flooding Experiments, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 4, P79-87, July-Aug.89.

— Mechanics of Foam Flow in Porous Media and Applications, by M.R. Islam, R.J. Selby and S.M. Farouq Ali, Vol. 82, No. 4, P88-96, July-Aug.89.

Isokineticity — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

J

Jabs, W. — Fracturing with Crosslinked Gelled Methanol: a New Approach to Well Stimulation, by M. Hossaini, W. Jabs and J. Grisdale, Vol. 28, No. 5, P49-54, Sept.-Oct.89.

Jamieson, P.R. — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.

Judge, A. — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.-Apr.89.

— The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 2 — Data Retrieval and Analysis of the Thermal Regime, by A. Taylor, A. Judge and V. Allen, Vol. 28, No. 2, P95-101, Mar.-Apr.89.

K

Kalogerakis, N. — Modelling of Drilling Rate for Canadian Offshore Well Data, by W. Wee and N. Kalogerakis, Vol. 28, No. 6, P33-48, Nov.-Dec.89.

Kenny, J. — The Unsteady-state Gas Permeameter, by D.W. Ruth and J. Kenny, Vol. 28, No. 3, P67-72, May-June 89.

Kimber, K.D. — Verification of Scaling Approaches for Steam Injection Experiments, by K.D. Kimber and S.M. Farouq Ali, Vol. 28, No. 1, P40-47, Jan.-Feb.89.

Klinkenberg Coefficients — The Unsteady-state Gas Permeameter, by D.W. Ruth and J. Kenny, Vol. 28, No. 3, P67-72, May-June 89.

Kok, S. — Total Dissolved Solids Removal from Water Produced During the In Situ Recovery of Heavy Oil and Bitumen, by S. Kok, A. Zaidi and R. Solomon, Vol. 28, No. 1, P100-105, Jan.-Feb.89.

Kooyman, R.W. — Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.

Kramers, J.W. — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.

Krug, T.A. — Oil Removal from Oilfield-produced Water by Cross Flow Ultrafiltration, by B.A. Farnand and T.A. Krug, Vol. 28, No. 6, P18-24, Nov.-Dec.89.

Kry, P.R. — Coupling of Fluid Flow and Soil Behaviour to Model Injection into Uncemented Oil Sands, by A. Settari, P.R. Kry and C.T. Yee, Vol. 28, No. 1, P81-92, Jan.-Feb.89.

Kurucz, L. — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.

Kutney, R. — Trends in Crude Oil and Natural Gas Reserves Additions Rates and Marginal Supply Costs for Western Canada, by B. Bowers and R. Kutney, Vol. 28, No. 3, P88-94, May-June 89.

Kwan, M.Y. — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.

L

Laberge, D. — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Lake Erie — Lake Erie — Offshore Natural Gas Exploration and Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.

Lam, W.W. — Correlation Between Oil Sands Minerals and Processing Characteristics, by R.J. Mikula, V.A. Munoz and W.W. Lam, Vol. 28, No. 6, P29-32, Nov.-Dec.89.

Layer Pulse Test — Layer Pulse Testing Using the Repeat Formation Tester, by J. Saeedi, Vol. 28, No. 1, P126-134, Jan.-Feb.89.

Leipert, G.F. — Astrakhan, the World's Largest Sour Gas Development, by G.F. Leipert, Vol. 28, No. 3, P95-98, May-June 89.

Letzsch, W.S. — New LZ-210 Zeolites Produce Superior FCC Performance, by W.S. Letzsch, D.G. Michaelis and J.D. Pollock, Vol. 28, No. 2, P102-105, Mar.-Apr.89.

Liquid Holdup — An Improved Revision to the Hagedorn and Brown Liquid Holdup Correlation, by Ghassan H. Abdul Majeed, Nimat Behnam Abu AlSoof and Jawad R. Alassal, Vol. 28, No. 6, P25-28, Nov.-Dec.89.

Liu, M.-X. — A New Numerical Method of Simulating Two-Dimensional Two-Phase Flow Through Media with Single and Double Porosity, by M.-X. Liu and Z.-X. Chen, Vol. 28, No. 2, P106-112, Mar.-Apr.89.

Lloydminster — Evaluation and Application of Pikes Peak Cyclic Steam Injection Pressure Data, by K.A. Miller and R.M. Given, Vol. 28, No. 1, P26-32, Jan.-Feb.89.

Lower Amaranth Zone — Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.

Lund, T. — Surface Tension of Petroleum Mixtures, by K.S. Pedersen Calsep, T. Lund and A. Fredenslund, Vol. 28, No. 2, P118-123, Mar.-Apr.89.

M

MacKenzie, Wm.T. — Fracture Stimulation in the GLISP Tar Sands Pilot — Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.

MacLean, D.A. — Design of a Field-wide Hydrocarbon Miscible Flood for the Kaybob Beaverhill Lake 'A' Pool, by D.A. MacLean, Vol. 28, No. 3, P20-28, May-June 89.

Majeed, G.H.A. — An Improved Revision to the Hagedorn and Brown Liquid Holdup Correlation, by Ghassan H. Abdul Majeed, Nimat Behnam Abu Al-Soof and Jawad R. Alassal, Vol. 28, No. 6, P25-28, Nov.-Dec.89.

Maki, D.R. — The Directly Ploughed Concept for Small-inch Pipelines — a Modern Approach to Reducing Installed Costs and Minimizing Environmental Impact, by D.R. Maki, Vol. 28, No. 2, P124-129, Mar.-Apr.89.

Marcinew, R.P. — Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.

Margeson, J.L. — Characterization of the Humic-clay Complex and its Influence on Bitumen Displacement from Athabasca Oil Sands, by J.L. Margeson, V. Hornof and G.H. Neale, Vol. 28, No. 2, P57-62, Mar.-Apr.98.

Market Development — International Market Development Through Technical Assistance Partnerships: PCIAC's Thailand Project, by J. Ridsdel, Vol. 28, No. 5, P87-93, Sept.-Oct.89.

Martin, V.N. — Project Cash Flow Analysis — How to Avoid the Fast Track to Red Ink, by V.N. Martin and B.J. Smith, Vol. 28, No. 5, P94-99, Sept.-Oct.89.

Mathematical Modelling — A Statistical Model to Evaluate Infill Drilling Prospects in an Upper Devonian Field in Central Alberta, by W. Papst and S. Asgarpour, Vol. 28, No. 2, P113-117, Mar.-Apr.89.

McDonald, I. — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

McLaren Formation — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.

McLauchlin, L. — Pressure-Volume-Temperature Correlations for Western Canadian Gases and Oils, by S. Asgarpour, L. McLauchlin, D. Wong and V. Cheung, Vol. 28, No. 4, P103-111, July-Aug.89.

Mehrotra, A.K. — Properties of Peace River Bitumen Saturated with Field

Gas Mixtures, by W.Y. Svrcek and A.K. Mehrotra, Vol. 28, No. 2, P50-56, Mar.-Apr.89.
— Calculation of Gas Solubility in Wabasca Bitumen, by A.K. Mehrotra, G.S. Patience and W.Y. Svrcek, Vol. 28, No. 3, P81-83, May-June 89.
Methanol — Fracturing with Crosslinked Gelled Methanol: a New Approach to Well Stimulation, by M. Hossaini, W. Jabs and J. Grisdale, Vol. 28, No. 5, P49-54, Sept.-Oct.89.
Metzler, K.J. — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.
Meyer, B.R. — Simulated Minifrac Analysis, by B.R. Meyer and M.W. Hagel, Vol. 28, No. 5, P63-73, Sept.-Oct.89.
Michaelis, D.G. — New LZ-210 Zeolites Produce Superior FCC Performance, by W.S. Letzsch, D.G. Michaelis and J.D. Pollock, Vol. 28, No. 2, P102-105, Mar.-Apr.89.
Mikula, R.J. — Correlation Between Oil Sands Minerals and Processing Characteristics, by R.J. Mikula, V.A. Munoz and W.W. Lam, Vol. 28, No. 6, P29-32, Nov.-Dec.89.
Miller, K.A. — Evaluation and Application of Pikes Peak Cyclic Steam Injection Pressure Data, by K.A. Miller and R.M. Given, Vol. 28, No. 1, P26-32, Jan.-Feb.89.
Minerals — Correlation Between Oil Sands Minerals and Processing Characteristics, by R.J. Mikula, V.A. Munoz and W.W. Lam, Vol. 28, No. 6, P29-32, Nov.-Dec.89.
Mini-frac Designs — Simulated Mini-frac Analysis, by B.R. Meyer and M.W. Hagel, Vol. 28, No. 5, P63-73, Sept.-Oct.89.
Mini-frac Tests — In Situ Stress Magnitudes from Mini-Frac Records in Western Canada, by D.C. Woodland and J.S. Bell, Vol. 28, No. 5, P22-31, Sept.-Oct.89.
Miscibility Pressure — Effect of Column Length on CO_2 Crude Oil Miscibility Pressure, by O. Omole and J.S. Osoba, Vol. 28, No. 4, P97-102, July-Aug.89.
Miscible Displacement — Effect of Length on Unstable Miscible Displacements, by G. Coskuner and R.G. Bentsen, Vol. 28, No. 4, P34-44, July-Aug.89.
Miscible Flood Design — Laboratory Factors Influencing Slim Tube Test Results, by T.E. Randall and D.B. Bennion, Vol. 28, No. 4, P60-70, July-Aug.89.
Miscible Flooding — Design of a Field-wide Hydrocarbon Miscible Flood for the Kaybob Beaverhill Lake 'A' Pool, by D.A. MacLean, Vol. 28, No. 3, P20-28, May-June 89.
Mobility Control — Waterflooding Oil Reservoirs with Bottom Water, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 3, P59-66, May-June 89.
— Mechanics of Foam Flow in Porous Media and Applications, by M.R. Islam, R.J. Selby and S.M. Farouq Ali, Vol. 82, No. 4, P88-96, July-Aug.89.
Modelling — Rationale for Low Injection Rates and Pressure Cycles for Firefloods in Heavy Oil Reservoirs, by P.W. Tsang, Vol. 28, No. 1, P33-39, Jan.-Feb.89.
— Verification of Scaling Approaches for Steam Injection Experiments, by K.D. Kimber and S.M. Farouq Ali, Vol. 28, No. 1, P40-47, Jan.-Feb.89.
— Injectivity Enhancement in Tar Sands — A Physical Model Study, by A.H. Sufi, Vol. 28, No. 1, P63-74, Jan.-Feb.89.
Molecular Sieves — New LZ-210 Zeolites Produce Superior FCC Performance, by W.S. Letzsch, D.G. Michaelis and J.D. Pollock, Vol. 28, No. 2, P102-105, Mar.-Apr.89.
Monte Carlo Simulation — A Statistical Model to Evaluate Infill Drilling Prospects in an Upper Devonian Field in Central Alberta, by W. Papst and S. Asgarpour, Vol. 28, No. 2, P113-117, Mar.-Apr.89.
Moschovidis, Z.A. — Fracture Stimulation in the GLISP Tar Sands Pilot — Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.
— Interwell Communication by Concurrent Fracturing — a New Stimulation Technique, by Z.A. Moschovidis, Vol. 28, No. 5, P42-48, Sept.-Oct.89.
Mourits, F.M. — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.
Mudie, D.W. — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.
Muir, M.B. — Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.
Munoz, V.A. — Correlation Between Oil Sands Minerals and Processing Characteristics, by R.J. Mikula, V.A. Munoz and W.W. Lam, Vol. 28, No. 6, P29-32, Nov.-Dec.89.

N

NGL Upgrading — Upgrading Alberta NGLs — Some Preliminary Ideas, by W.D. Onn, Vol. 28, No. 6, P59-63, Nov.-Dec.89.
Natural Gas — Trends in Crude Oil and Natural Gas Reserves Additions Rates and Marginal Supply Costs for Western Canada, by B. Bowers and R. Kutney, Vol. 28, No. 3, P88-94, May-June 89.
— Lake Erie — Offshore Natural Gas Exploration and Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.
Neale, G.H. — Characterization of the Humic-clay Complex and its Influence on Bitumen Displacement from Athabasca Oil Sands, by J.L. Margeson, V. Hornof and G.H. Neale, Vol. 28, No. 2, P57-62, Mar.-Apr.89.
— Interaction of Aqueous Caustic with Acidic Oils, by C.I. Chiwetelu, V. Hornof and G.H. Neale, Vol. 28, No. 4, P71-78, July-Aug.89.
Nemeth, C.W. — Four Stages — Innovative Career Management, by W.D. Evans and C.W. Nemeth, Vol. 28, No. 1, P138-140, Jan.-Feb.89.
Nine-Point Differencing — Calculation of Flowing Well Pressures in Reservoir Simulation Using Nine-Point Differencing, by G.S. Shiralkar, Vol. 28, No. 6, P73-82, Nov.-Dec.89.
Nitrogen — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.
Nitrogen Injection — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.
Non-thermal Recovery Methods — Potential of Non-thermal Methods for Heavy Oil Recovery, by R. Selby, A.A. Alikhan and S.M. Farouq Ali, Vol. 28, No. 4, P45-59, July-Aug.89.
Numerical Dispersion — A New Numerical Method of Simulating Two-Dimensional Two-Phase Flow Through Media with Single and Double Porosity, by M.-X. Liu and Z.-X. Chen, Vol. 28, No. 2, P106-112, Mar.-Apr.89.
Numerical Modelling — Coupling of Fluid Flow and Soil Behaviour to Model Injection into Uncemented Oil Sands, by A. Settari, P.R. Kry and C.T. Yee, Vol. 28, No. 1, P81-92, Jan.-Feb.89.
— A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.
— Application of Numerical Modelling to the Simulation of the Electric-preheat Steam-drive (EPSD) Process in Athabasca Oil Sands, by A.D. Hiebert, F.E. Vermeulen and F.S. Chute, Vol. 28, No. 5, P74-86, Sept.-Oct.89.

O

Oballa, V. — An Experimental Study of Diffusion in the Bitumen Toluene System, by V. Oballa and R.M. Butler, Vol. 28, No. 2, P63-69, Mar.-Apr.89.
Offshore Wells — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.-Apr.89.
— The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 2 — Data Retrieval and Analysis of the Thermal Regime, by A. Taylor, A. Judge and V. Allen, Vol. 28, No. 2, P95-101, Mar.-Apr.89.
Oil Recovery — Design of a Field-wide Hydrocarbon Miscible Flood for the Kaybob Beaverhill Lake 'A' Pool, by D.A. MacLean, Vol. 28, No. 3, P20-28, May-June 89.
— The Potential for Horizontal Wells for Petroleum Production, by R.M. Butler, Vol. 28, No. 3, P39-47, May-June 89.
— The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.
— Effect of Column Length on CO_2 Crude Oil Miscibility Pressure, by O. Omole and J.S. Osoba, Vol. 28, No. 4, P97-102, July-Aug.89.
Oil Sands — Characterization of the Humic-clay Complex and its Influence on Bitumen Displacement from Athabasca Oil Sands, by J.L. Margeson, V. Hornof and G.H. Neale, Vol. 28, No. 2, P57-62, Mar.-Apr.89.
— The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.
— Application of Numerical Modelling to the Simulation of the Electric-

preheat Steam-drive (EPSD) Process in Athabasca Oil Sands, by A.D. Hiebert, F.E. Vermeulen and F.S. Chute, Vol. 28, No. 5, P74-86, Sept.-Oct.89.
— Correlation Between Oil Sands Minerals and Processing Characteristics, by R.J. Mikula, V.A. Munoz and W.W. Lam, Vol. 28, No. 6, P29-32, Nov.-Dec.89.
Oil Sands Mechanics — Coupling of Fluid Flow and Soil Behaviour to Model Injection into Uncemented Oil Sands, by A. Settari, P.R. Kry and C.T. Yee, Vol. 28, No. 1, P81-92, Jan.-Feb.89.
Oil-in-Water Emulsions — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.
Oily Water — Oil Removal from Oilfield-produced Water by Cross Flow Ultrafiltration, by B.A. Farnand and T.A. Krug, Vol. 28, No. 6, P18-24, Nov.-Dec.89.
Omole, O. — Effect of Column Length on CO_2 Crude Oil Miscibility Pressure, by O. Omole and J.S. Osoba, Vol. 28, No. 4, P97-102, July-Aug.89.
Onn, W.D. — Upgrading Alberta NGLs — Some Preliminary Ideas, by W.D. Onn, Vol. 28, No. 6, P59-63, Nov.-Dec.89.
Optimization — Optimal Fracture Design for Tight Gas Reservoirs, by D.A. Payne and D.E. Cormack, Vol. 28, No. 1, P120-125, Jan.-Feb.89.
— Crude Oil Prorationing as an Optimization Problem, by T. Walden, Vol. 28, No. 4, P136-139, July-Aug.89.
Ore Estimation — Pressure-Volume-Temperature Correlations for Western Canadian Gases and Oils, by S. Asgarpour, L. McLauchlin, D. Wong and V. Cheung, Vol. 28, No. 4, P103-111, July-Aug.89.
Osoba, J.S. — Effect of Column Length on CO_2 Crude Oil Miscibility Pressure, by O. Omole and J.S. Osoba, Vol. 28, No. 4, P97-102, July-Aug.89.
Oxygen — Integrated Air Separation Facilities for Hydrocarbon and Sulphur Recovery, by K.J. Metzler, L.J. Hvizdos and W.P. Hegarty, Vol. 28, No. 6, P51-58, Nov.-Dec.89.

P

PCIAC's Thailand Project — International Market Development Through Technical Assistance Partnerships: PCIAC's Thailand Project, by J. Ridsdel, Vol. 28, No. 5, P87-93, Sept.-Oct.89.
Palmer, I.D. — Fracture Stimulation in the GLISP Tar Sands Pilot — Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.
Panther River — Panther River Well Stimulations — A Case History, by M.R. Milligan, Vol. 28, No. 5, P32-41, Sept.-Oct.89.
Papst, W. — A Statistical Model to Evaluate Infill Drilling Prospects in an Upper Devonian Field in Central Alberta, by W. Papst and S. Asgarpour, Vol. 28, No. 2, P113-117, Mar.-Apr.89.
Parameter Modelling — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.
Parametric Studies — Simulated Mini-frac Analysis, by B.R. Meyer and M.W. Hagel, Vol. 28, No. 5, P63-73, Sept.-Oct.89.
Park, J.J. — Gas Marketing in Transition, by J.J. Park, Vol. 28, No. 1, P135-137, Jan.-Feb.89.
Patience, G.S. — Calculation of Gas Solubility in Wabasca Bitumen, by A.K. Mehrotra, G.S. Patience and W.Y. Svrcek, Vol. 28, No. 3, P81-83, May-June 89.
Payne, D.A. — Optimal Fracture Design for Tight Gas Reservoirs, by D.A. Payne and D.E. Cormack, Vol. 28, No. 1, P120-125, Jan.-Feb.89.
Penetration Rate — Focussed Hydraulic Energy — A New Look at Two-nozzle Drilling, by R.P. Barmby, Vol. 28, No. 2, P85-88, Mar.-Apr.89.
— Modelling of Drilling Rate for Canadian Offshore Well Data, by W. Wee and N. Kalogerakis, Vol. 28, No. 6, P33-48, Nov.-Dec.89.
Permeability — Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M. Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.
Permeability Reduction — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.
Permeametry — The Unsteady-state Gas Permeameter, by D.W. Ruth and J. Kenny, Vol. 28, No. 3, P67-72, May-June 89.
Petroleum Industry — Canada's Position in Petroleum R&D, by D.H. Shaw, Vol. 28, No. 3, P84-87, May-June 89.
— Petroleum Industry Development in Alberta, Canada — The Relationship Between Governments and the Private Sector, by M.J. Day, Vol. 28, No. 5, P100-107, Sept.-Oct.89.
Petroleum Mixtures — Surface Tension of Petroleum Mixtures, by K.S. Pedersen Calsep, T. Lund and A. Fredenslund, Vol. 28, No. 2, P118-123, Mar.-Apr.89.
Pilot Projects — Fracture Stimulation in the GLISP Tar Sands Pilot — Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.
Pipeline Technology — The Directly Ploughed Concept for Small-inch Pipelines — a Modern Approach to Reducing Installed Costs and Minimizing Environmental Impact, by D.R. Maki, Vol. 28, No. 2, P124-129, Mar.-Apr.89.
Ploughing Techniques — The Directly Ploughed Concept for Small-inch Pipelines — a Modern Approach to Reducing Installed Costs and Minimizing Environmental Impact, by D.R. Maki, Vol. 28, No. 2, P124-129, Mar.-Apr.89.
Polikar, M. — Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M. Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.
Pollock, J.D. — New LZ-210 Zeolites Produce Superior FCC Performance, by W.S. Letzsch, D.G. Michaelis and J.D. Pollock, Vol. 28, No. 2, P102-105, Mar.-Apr.89.
Polymer — Waterflooding Oil Reservoirs with Bottom Water, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 3, P59-66, May-June 89.
Polymer Flooding — New Scaling Criteria for Polymer, Emulsion and Foam Flooding Experiments, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 4, P79-87, July-Aug.89.
Pore Systems — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.
Prentice, M.E. — A Multidisciplinary Approach to Reservoir Characterization: The Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.
Pressure Data — Rationale for Low Injection Rates and Pressure Cycles for Firefloods in Heavy Oil Reservoirs, by P.W. Tsang, Vol. 28, No. 1, P33-39, Jan.-Feb.89.
— Verification of Scaling Approaches for Steam Injection Experiments, by K.D. Kimber and S.M. Farouq Ali, Vol. 28, No. 1, P40-47, Jan.-Feb.89.
Pressure Loss — An Improved Revision to the Hagedorn and Brown Liquid Holdup Correlation, by Ghassan H. Abdul Majeed, Nimat Behnam Abu Al-Soof and Jawad R. Alassal, Vol. 28, No. 6, P25-28, Nov.-Dec.89.
Pressure-Volume-Temperature Correlations — Pressure-Volume-Temperature Correlations for Western Canadian Gases and Oils, by S. Asgarpour, L. McLauchlin, D. Wong and V. Cheung, Vol. 28, No. 4, P103-111, July-Aug.89.
Processing Operations — An Investigation of Trace Element Contamination of Sour Gas Plant Pond Sludges, by H.F. Thimm and E.L. Hoffman, Vol. 28, No. 2, P70-73, Mar.-Apr.89.
Produced Water — Oil Removal from Oilfield-produced Water by Cross Flow Ultrafiltration, by B.A. Farnand and T.A. Krug, Vol. 28, No. 6, P18-24, Nov.-Dec.89.
Production — Petroleum Industry Development in Alberta, Canada — The Relationship Between Governments and the Private Sector, by M.J. Day, Vol. 28, No. 5, P100-107, Sept.-Oct.89.
Propylene — Upgrading Alberta NGLs — Some Preliminary Ideas, by W.D. Onn, Vol. 28, No. 6, P59-63, Nov.-Dec.89.
Provost Upper Mannville B Pool — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.
Pseudo Pressure — The Use of Pressure Build-up Data in Pressure Transient Testing, by G.A. Foster, D. Wong and S. Asgarpour, Vol. 28, No. 6, P64-72, Nov.-Dec.89.
Puttagunta, V.R. — Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M. Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.

Q

Queen Elizabeth Islands — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 2 — Data Retrieval and Analysis of the Thermal Regime, by A. Taylor, A. Judge and V. Allen, Vol. 28, No. 2, P95-101, Mar.-Apr.89.

R

Randall, T.E. — Laboratory Factors Influencing Slim Tube Test Results, by T.E. Randall and D.B. Bennion, Vol. 28, No. 4, P60-70, July-Aug.89.

Regression Analysis — Interaction of Aqueous Caustic with Acidic Oils, by C.I. Chiwetelu, V. Hornof and G.H. Neale, Vol. 28, No. 4, P71-78, July-Aug.89.

— Modelling of Drilling Rate for Canadian Offshore Well Data, by W. Wee and N. Kalogerakis, Vol. 28, No. 6, P33-48, Nov.-Dec.89.

Relative Permeability — Estimation of Relative Permeability from Low Rate, Unsteady-state Tests — a Simulation Approach, by M.R. Fassihi, Vol. 28, No. 3, P29-38, May-June 89.

— A New Method for Estimating Relative Permeabilities from Unstabilized Displacement Data, by H.K. Sarma and R.G. Bentsen, Vol. 28, No. 4, P118-128, July-Aug.89.

Research and Development — Canada's Position in Petroleum R&D, by D.H. Shaw, Vol. 28, No. 3, P84-87, May-June 89.

Reservoir Engineering — Surface Tension of Petroleum Mixtures, by K.S. Pedersen Calsep, T. Lund and A. Fredenslund, Vol. 28, No. 2, P118-123, Mar.-Apr.89.

— An Improved Revision to the Hagedorn and Brown Liquid Holdup Correlation, by Ghassan H. Abdul Majeed, Nimat Behnam Abu Al-Soof and Jawad R. Alassal, Vol. 28, No. 6, P25-28, Nov.-Dec.89.

Reservoir Fluid Behaviour — C+/7 Characterization for Fluid Properties Predictions, by R.S. Wu and R.M. Fish, Vol. 28, No. 4, P112-117, July-Aug.89.

Reservoir Performance — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.

Reservoir Simulation — Calculation of Flowing Well Pressures in Reservoir Simulation Using Nine-Point Differencing, by G.S. Shiralkar, Vol. 28, No. 6, P73-82, Nov.-Dec.89.

Reservoirs — Optimal Fracture Design for Tight Gas Reservoirs, by D.A. Payne and D.E. Cormack, Vol. 28, No. 1, P120-125, Jan.-Feb.89.

— Layer Pulse Testing Using the Repeat Formation Tester, by J. Saeedi, Vol. 28, No. 1, P126-134, Jan.-Feb.89.

Ridsdel, J. — International Market Development Through Technical Assistance Partnerships: PCIAC's Thailand Project, by J. Ridsdel, Vol. 28, No. 5, P87-93, Sept.-Oct.89.

Ruth, D.W. — The Unsteady-state Gas Permeameter, by D.W. Ruth and J. Kenny, Vol. 28, No. 3, P67-72, May-June 89.

Rybansky, R.M. — Lake Erie — Offshore Natural Gas Exploration and Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.

S

Saeedi, J. — Layer Pulse Testing Using the Repeat Formation Tester, by J. Saeedi, Vol. 28, No. 1, P126-134, Jan.-Feb.89.

Sarma, H.K. — A New Method for Estimating Relative Permeabilities from Unstabilized Displacement Data, by H.K. Sarma and R.G. Bentsen, Vol. 28, No. 4, P118-128, July-Aug.89.

Saskatchewan Research Council — Pumping Heavy Oils with the Aid of Downhole Oil-in-water Emulsifications, by C.M. Des Brisay, D.W. Mudie, F.M. Mourits and L. Kurucz, Vol. 28, No. 2, P80-84, Mar.-Apr.89.

Scaling Criteria — Verification of Scaling Approaches for Steam Injection Experiments, by K.D. Kimber and S.M. Farouq Ali, Vol. 28, No. 1, P40-47, Jan.-Feb.89.

— New Scaling Criteria for Polymer, Emulsion and Foam Flooding Experiments, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 4, P79-87, July-Aug.89.

Schramm, L.L. — The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.

Selby, R. — Potential of Non-thermal Methods for Heavy Oil Recovery, by R. Selby, A.A. Alikhan and S.M. Farouq Ali, Vol. 28, No. 4, P45-59, July-Aug.89.

Selby, R.J. — Mechanics of Foam Flow in Porous Media and Applications, by M.R. Islam, R.J. Selby and S.M. Farouq Ali, Vol. 28, No. 4, P88-96, July-Aug.89.

Settari, A. — Coupling of Fluid Flow and Soil Behaviour to Model Injection into Uncemented Oil Sands, by A. Settari, P.R. Kry and C.T. Yee, Vol. 28, No. 1, P81-92, Jan.-Feb.89.

Shaw, D.H. — Canada's Position in Petroleum R&D, by D.H. Shaw, Vol. 28, No. 3, P84-87, May-June 89.

Shaw, D.R. — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Shiralkar, G.S. — Calculation of Flowing Well Pressures in Reservoir Simulation Using Nine-Point Differencing, by G.S. Shiralkar, Vol. 28, No. 6, P73-82, Nov.-Dec.89.

Shut-in Pressure — In Situ Stress Magnitudes from Mini-Frac Records in Western Canada, by D.C. Woodland and J.S. Bell, Vol. 28, No. 5, P22-31, Sept.-Oct.89.

Simulation — A New Numerical Method of Simulating Two-Dimensional Two-Phase Flow Through Media with Single and Double Porosity, by M.-X. Liu and Z.-X. Chen, Vol. 28, No. 2, P106-112, Mar.-Apr.89.

Simulations — Estimation of Relative Permeability from Low Rate, Unsteady-state Tests — Simulation Approach, by M.R. Fassihi, Vol. 28, No. 3, P29-38, May-June 89.

Slim Tube Testing — Laboratory Factors Influencing Slim Tube Test Results, by T.E. Randall and D.B. Bennion, Vol. 28, No. 4, P60-70, July-Aug.89.

Small Perturbations Theory — Effect of Length on Unstable Miscible Displacements, by G. Coskuner and R.G. Bentsen, Vol. 28, No. 4, P34-44, July-Aug.89.

Smith, B.J. — Project Cash Flow Analysis — How to Avoid the Fast Track to Red Ink, by V.N. Martin and B.J. Smith, Vol. 28, No. 5, P94-99, Sept.-Oct.89.

Smith, D.S. — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

Solomon, R. — Total Dissolved Solids Removal from Water Produced During the In Situ Recovery of Heavy Oil and Bitumen, by S. Kok, A. Zaidi and R. Solomon, Vol. 28, No. 1, P100-105, Jan.-Feb.89.

Sour Gas Development — Astrakhan, the World's Largest Sour Gas Development, by G.F. Leipert, Vol. 28, No. 3, P95-98, May-June 89.

Sour Natural Gas — An Investigation of Trace Element Contamination of Sour Gas Plant Pond Sludges, by H.F. Thimm and E.L. Hoffman, Vol. 28, No. 2, P70-73, Mar.-Apr.89.

St. Pierre, C.C. — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

Stack Sampling — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

Stack Test — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.

Statistics — An Improved Revision to the Hagedorn and Brown Liquid Holdup Correlation, by Ghassan H. Abdul Majeed, Nimat Behnam Abu Al-Soof and Jawad R. Alassal, Vol. 28, No. 6, P25-28, Nov.Dec.89.

Steam Processes — Verification of Scaling Approaches for Steam Injection Experiments, by K.D. Kimber and S.M. Farouq Ali, Vol. 28, No. 1, P40-47, Jan.-Feb.89.

Steam-assisted Gravity Drainge — In Situ Emulsification by the Condensation of Steam in Contact with Bitumen, by K.H. Chung and R.M. Butler, Vol. 28, No. 1, P48-55, Jan.-Feb.89.

Steamflooding — Injectivity Enhancement in Tar Sands — A Physical Model Study, by A.H. Sufi, Vol. 28, No. 1, P63-74, Jan.-Feb.89.

Stimulation — Panther River Well Stimulations — A Case History, by M.R. Milligan, Vol. 28, No. 5, P32-41, Sept.-Oct.89.

Stimulation Designs — Effective Hydraulic Fracturing of the Lower Amaranth Formation in Southern Manitoba, by R.W. Kooyman, M.B. Muir, R.P. Marcinew and K. BenNaceur, Vol. 28, No. 5, P55-62, Sept.-Oct.89.

Stimulation Techniques — Interwell Communication by Concurrent Fracturing — a New Stimulation Technique, by Z.A. Moschovidis, Vol. 28, No. 5, P42-48, Sept.-Oct.89.

Sufi, A.H. — Injectivity Enhancement in Tar Sands — A Physical Model Study, by A.H. Sufi, Vol. 28, No. 1, P63-74, Jan.-Feb.89.

Sulphur — International Trade Implications for U.S.S.R. Sulphur in the 1990s, by S.J.M. Wenzel, Vol. 28, No. 6, P83-85, Nov.-Dec.89.

Surface Tensions — Surface Tension of Petroleum Mixtures, by K.S. Pedersen Calsep, T. Lund and A. Fredenslund, Vol. 28, No. 2, P118-123, Mar.-Apr.89.

Surfactants — Mechanics of Foam Flow in Porous Media and Applications, by M.R. Islam, R.J. Selby and S.M. Farouq Ali, Vol. 82, No. 4, P88-96, July-Aug.89.
Surveys — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.
Svrcek, W.Y. — Properties of Peace River Bitumen Saturated with Field Gas Mixtures, by W.Y. Svrcek and A.K. Mehrotra, Vol. 28, No. 2, P50-56, Mar.-Apr.89.
— Calculation of Gas Solubility in Wabasca Bitumen, by A.K. Mehrotra, G.S. Patience and W.Y. Svrcek, Vol. 28, No. 3, P81-83, May-June 89.

T

Tar Sands — Interwell Communication by Concurrent Fracturing — a New Stimulation Technique, by Z.A. Moschovidis, Vol. 28, No. 5, P42-48, Sept.-Oct.89.
Tar Sands Cores — A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P. Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.
Taylor, A. — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.-Apr.89.
— The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 2 — Data Retrieval and Analysis of the Thermal Regime, by A. Taylor, A. Judge and V. Allen, Vol. 28, No. 2, P95-101, Mar.-Apr.89.
Technical Assistance — International Market Development Through Technical Assistance Partnerships: PCIAC's Thailand Project, by J. Ridsdel, Vol. 28, No. 5, P87-93, Sept.-Oct.89.
Thermal Recovery — Rationale for Low Injection Rates and Pressure Cycles for Firefloods in Heavy Oil Reservoirs, by P.W. Tsang, Vol. 28, No. 1, P33-39, Jan.-Feb.89.
— In Situ Emulsification by the Condensation of Steam in Contact with Bitumen, by K.H. Chung and R.M. Butler, Vol. 28, No. 1, P48-55, Jan.-Feb.89.
— A Laboratory Study of Permeability Damage to Cold Lake Tar Sands Cores, by M.Y. Kwan, M.P.Cullen, P.R. Jamieson and R.A. Fortier, Vol. 28, No. 1, P56-62, Jan.-Feb.89.
— Injectivity Enhancement in Tar Sands — A Physical Model Study, by A.H. Sufi, Vol. 28, No. 1, P63-74, Jan.-Feb.89.
— Fracture Stimulation in the GLISP Tar Sands Pilot — Case History, by Wm.T. MacKenzie, Z.A. Moschovidis and I.D. Palmer, Vol. 28, No. 1, P75-80, Jan.-Feb.89.
— Coupling of Fluid Flow and Soil Behaviour to Model Injection into Uncemented Oil Sands, by A. Settari, P.R. Kry and C.T. Yee, Vol. 28, No. 1, P81-92, Jan.-Feb.89.
— Relative Permeability Curves for Bitumen and Water in Oil Sand Systems, by M. Polikar, V.R. Puttagunta, V. DeCastro and S.M. Farouq Ali, Vol. 28, No. 1, P93-99, Jan.-Feb.89.
— Total Dissolved Solids Removal from Water Produced During the In Situ Recovery of Heavy Oil and Bitumen, by S. Kok, A. Zaidi and R. Solomon, Vol. 28, No. 1, P100-105, Jan.-Feb.89.
Thimm, H.F. — An Investigation of Trace Element Contamination of Sour Gas Plant Pond Sludges, by H.F. Thimm and E.L. Hoffman, Vol. 28, No. 2, P70-73, Mar.-Apr.89.
— Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.
Trade — International Trade Implications for U.S.S.R. Sulphur in the 1990s, by S.J.M. Wenzel, Vol. 28, No. 6, P83-85, Nov.-Dec.89.
Treatment Design — Panther River Well Stimulations — A Case History, by M.R. Milligan, Vol. 28, No. 5, P32-41, Sept.-Oct.89.
Trevail, R.A. — Lake Erie — Offshore Natural Gas Exploration and Development Opportunities in Ontario, by J.N. Fox, R.M. Rybansky and R.A. Trevail, Vol. 28, No. 4, P129-135, July-Aug.89.
Tsang, P.W. — Rationale for Low Injection Rates and Pressure Cycles for Firefloods in Heavy Oil Reservoirs, by P.W. Tsang, Vol. 28, No. 1, P33-39, Jan.-Feb.89.

U

U.S.S.R. — International Trade Implications for U.S.S.R. Sulphur in the 1990s, by S.J.M. Wenzel, Vol. 28, No. 6, P83-85, Nov.-Dec.89.
Ultrafiltration — Oil Removal from Oilfield-produced Water by Cross Flow Ultrafiltration, by B.A. Farnand and T.A. Krug, Vol. 28, No. 6, P18-24, Nov.-Dec.89.
Unsteady-state Relative Permeability — Estimation of Relative Permeability from Low Rate, Unsteady-state Tests — a Simulation Approach, by M.R. Fassihi, Vol. 28, No. 3, P29-38, May-June 89.

V

Vermeulen, F.E. — Application of Numerical Modelling to the Simulation of the Electric-preheat Steam-drive (EPSD) Process in Athabasca Oil Sands, by A.D. Hiebert, F.E. Vermeulen and F.S. Chute, Vol. 28, No. 5, P74-86, Sept.-Oct.89.
Viscosity — The Influence of Suspension Viscosity on Bitumen Rise Velocity and Potential Recovery in the Hot Water Flotation Process for Oil Sands, by L.L. Schramm, Vol. 28, No. 3, P73-80, May-June 89.
Viswanathan, S. — The Measurement of Trace Element Emissions at Sour Gas Plant Incinerator Stacks, by C.C. St. Pierre, A.W. Gnyp, D.S. Smith, S. Viswanathan and H.F. Thimm, Vol. 28, No. 2, P74-79, Mar.-Apr.89.

W

Wabasca Bitumen — Calculation of Gas Solubility in Wabasca Bitumen, by A.K. Mehrotra, G.S. Patience and W.Y. Svrcek, Vol. 28, No. 3, P81-83, May-June 89.
Walden, T. — Crude Oil Prorationing as an Optimization Problem, by T. Walden, Vol. 28, No. 4, P136-139, July-Aug.89.
Wastewater — Interference of Some Sulphur Compounds in the Analysis of Aqueous Effluents for Cyanide, by Harald F. Thimm, Donald R. Shaw, Ina McDonald and Don Laberge, Vol. 28, No. 6, P49-50, Nov.-Dec.89.
Water De-oiling — Oil Removal from Oilfield-produced Water by Cross Flow Ultrafiltration, by B.A. Farnand and T.A. Krug, Vol. 28, No. 6, P18-24, Nov.-Dec.89.
Water-free Fracturing Fluid — Fracturing with Crosslinked Gelled Methanol: a New Approach to Well Stimulation, by M. Hossaini, W. Jabs and J. Grisdale, Vol. 28, No. 5, P49-54, Sept.-Oct.89.
Water-oil Emulsion — In Situ Emulsification by the Condensation of Steam in Contact with Bitumen, by K.H. Chung and R.M. Butler, Vol. 28, No. 1, P48-55, Jan.-Feb.89.
Waterflooding — Waterflooding Oil Reservoirs with Bottom Water, by M.R. Islam and S.M. Farouq Ali, Vol. 28, No. 3, P59-66, May-June 89.
Wee, W. — Modelling of Drilling Rate for Canadian Offshore Well Data, by W. Wee and N. Kalogerakis, Vol. 28, No. 6, P33-48, Nov.-Dec.89.
Well Communications — Interwell Communication by Concurrent Fracturing — a New Stimulation Technique, by Z.A. Moschovidis, Vol. 28, No. 5, P42-48, Sept.-Oct.89.
Well Model — Calculation of Flowing Well Pressures in Reservoir Simulation Using Nine-Point Differencing, by G.S. Shiralkar, Vol. 28, No. 6, P73-82, Nov.-Dec.89.
Well Stimulation — Fracturing with Crosslinked Gelled Methanol: a New Approach to Well Stimulation, by M. Hossaini, W. Jabs and J. Grisdale, Vol. 28, No. 5, P49-54, Sept.-Oct.89.
Well Stimulations — Panther River Well Stimulations — A Case History, by M.R. Milligan, Vol. 28, No. 5, P32-41, Sept.-Oct.89.
Well Temperature — The Automatic Well Temperature Measuring System Installed at Cape Allison C-47, Offshore Well, Part 1 — Concept and Deployment, by A. Judge, A. Duguid, A. Taylor and V. Allen, Vol. 28, No. 2, P89-94, Mar.-Apr.89.
Well Test Analysis — The Use of Pressure Build-up Data in Pressure Transient Testing, by G.A. Foster, D. Wong and S. Asgarpour, Vol. 28, No. 6, P64-72, Nov.-Dec.89.
Wenzel, S.J.M. — International Trade Implications for U.S.S.R. Sulphur in the 1990s, by S.J.M. Wenzel, Vol. 28, No. 6, P83-85, Nov.-Dec.89.
Wong, D. — Pressure-Volume-Temperature Correlations for Western Canadian Gases and Oils, by S. Asgarpour, L. McLauchlin, D. Wong and V. Cheung, Vol. 28, No. 4, P103-111, July-Aug.89.
— The Use of Pressure Build-up Data in Pressure Transient Testing, by G.A. Foster, D. Wong and S. Asgarpour, Vol. 28, No. 6, P64-72, Nov.-Dec.89.
Wong, J. — China— Oil and Gas 'Pandamonium', by J. Wong, Vol. 28, No. 3, P99-104, May-June 89.
Woodland, D.C. — In Situ Stress Magnitudes from Mini-Frac Records in Western Canada, by D.C. Woodland and J.S.Bell, Vol. 28, No. 5, P22-31, Sept.-Oct.89.
Wright, G.B. — Application of Fluid Analyses to the Operation of an

In Situ Combustion Pilot, by J.M. Bojes and G.B. Wright, Vol. 28, No. 1, P106-119, Jan.-Feb.89.

Wu, R.S. — C+/7 Characterization for Fluid Properties Predictions, by R.S. Wu and R.M. Fish, Vol. 28, No. 4, P112-117, July-Aug.89.

Y

Yee, C.T. — Coupling of Fluid Flow and Soil Behaviour to Model Injection into Uncemented Oil Sands, by A. Settari, P.R. Kry and C.T. Yee, Vol. 28, No. 1, P81-92, Jan.-Feb.89.

Yuan, L.P. — A Multidisciplinary Approach to Reservoir Characterization: the Provost Upper Mannville B Pool, by J.W. Kramers, S. Bachu, D.L. Cuthiell, M.E. Prentice and L.P. Yuan, Vol. 28, No. 3, P48-58, May-June 89.

Z

Zaidi, A. — Total Dissolved Solids Removal from Water Produced During the In Situ Recovery of Heavy Oil and Bitumen, by S. Kok, A. Zaidi and R. Solomon, Vol. 28, No. 1, P100-105, Jan.-Feb.89.

Zeolites — New LZ-210 Zeolites Produce Superior FCC Performance, by W.S. Letzsch, D.G. Michaelis and J.D. Pollock, Vol. 28, No. 2, P102-105, Mar.-Apr.89.

Ziff, P.H. — Corporate Finding and Development Costs-1984-1986, by J. Grecu and P.H. Ziff, Vol. 28, No. 4, P140-145, July-Aug.89.


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1
8.0
9.0
10.0